

Tableau des références citées dans la base de données en ligne

Citations	Références complètes
Aaron <i>et al.</i> , 2007	Aaron SD, Vandemheen KL, Fergusson D, Maltais F, Bourbeau J, Goldstein R, et al. Tiotropium in combination with placebo, salmeterol, or fluticasone-salmeterol for treatment of chronic obstructive pulmonary disease: A randomized trial. <i>Ann Intern Med</i> 2007;146(8):545-55.
Aaron <i>et al.</i> , 2008	Aaron SD, Vandemheen KL, Boulet LP, McIvor RA, Fitzgerald JM, Hernandez P, et al. Overdiagnosis of asthma in obese and nonobese adults. <i>CMAJ</i> 2008;179(11):1121-31.
AAT/Boivin <i>et al.</i> , 2011	Boivin A, Lehoux P, Lacombe R, Lacasse A, Burgers J, Grol R. Target for improvement: A cluster randomised trial of public involvement in quality-indicator prioritisation (intervention development and study protocol). <i>Implement Sci</i> 2011;6:45.
Andersen <i>et al.</i> , 2000	Andersen S, Tarnow L, Rossing P, Hansen BV, Parving HH. Renoprotective effects of angiotensin II receptor blockade in type 1 diabetic patients with diabetic nephropathy. <i>Kidney Int</i> 2000;57(2):601-6.
Abumweis <i>et al.</i> , 2008	Abumweis SS, Barake R, Jones PJ. Plant sterols/stanols as cholesterol lowering agents: A meta-analysis of randomized controlled trials. <i>Food Nutr Res</i> 2008;52:(Published online: 18 August, 2008).
ACC, 2012	American College of Cardiology (site Web). 2012. http://www.cardiosource.org/acc
ACC-AHA/Fraker <i>et al.</i> , 2007	Fraker TD Jr, Fihn SD, Gibbons RJ, Abrams J, Chatterjee K, Daley J, et al. 2007 chronic angina focused update of the ACC/AHA 2002 guidelines for the management of patients with chronic stable angina: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines Writing Group to develop the focused update of the 2002 guidelines for the management of patients with chronic stable angina. <i>J Am Coll Cardiol</i> 2007;50(23):2264-74.
ACHS, 2012	Australian Council on Healthcare Standards (site Web). 2012. http://www.achs.org.au/
ACOVE/Watson <i>et al.</i> , 2007	Watson K, Fung CH, Budoff M. Quality indicators for the care of ischemic heart disease in vulnerable elders. <i>J Am Geriatr Soc</i> 2007;55(Suppl 2):S366-72.
Adams <i>et al.</i> , 2007	Adams SG, Smith PK, Allan PF, Anzueto A, Pugh JA, Cornell JE. Systematic review of the chronic care model in chronic obstructive pulmonary disease prevention and management. <i>Arch Int Med</i> 2007;167(6):551-61.

Citations	Références complètes
Adams et Drake, 2006	Adams JR et Drake RE. Shared decision-making and evidence-based practice. <i>Community Ment Health J</i> 2006;42(1):87-105.
Agence d'évaluation des technologies et des modes d'intervention en santé (AETMIS), 2008	Agence d'évaluation des technologies et des modes d'intervention en santé (AETMIS). Dépistage de la rétinopathie diabétique au Québec. Rapport préparé par Nieves Rodriguez et Brigitte Côté. <i>ETMIS</i> 2008;4(6):1-130.
Agency for Healthcare Research and Quality (AHRQ), 2010	Agency for Healthcare Research and Quality (AHRQ). National healthcare quality report 2010. Rockville, MD : AHRQ, U.S. Department of Health and Human Services; 2010. http://www.ahrq.gov/qual/nhqr10/nhqr10.pdf
Agency for Healthcare Research and Quality (AHRQ), 2012	Agency for Healthcare Research and Quality (AHRQ). Medical office survey on patient safety culture (site Web). Rockville, MD : AHRQ; 2012. http://www.ahrq.gov/qual/patientsafetyculture/mosurvindex.htm
AHA, 2012	American Heart Association (site Web). 2012. http://www.heart.org/
Ahmed <i>et al.</i> , 2007	Ahmed S, Ernst P, Tamblyn R, Colman N. Validation of The 30 Second Asthma Test as a measure of asthma control. <i>Can Respir J</i> 2007;14(2):105-9.
Alsaeedi <i>et al.</i> , 2002	Alsaeedi A, Sin DD, McAlister FA. The effects of inhaled corticosteroids in chronic obstructive pulmonary disease: A systematic review of randomized placebo-controlled trials. <i>Am J Med</i> 2002;113(1):59-65.
American College of Sports Medicine (ACSM), 2010	American College of Sports Medicine (ACSM). ACSM's guidelines for exercise testing and prescription. 8e éd. Philadelphie, PA : Lippincott Williams and Wilkins; 2010.
American Diabetes Association (ADA), 2010	American Diabetes Association (ADA). Standards of medical care in diabetes—2010. <i>Diabetes Care</i> 2010;33(Suppl 1):S11-61.
American Medical Association (AMA), 2012	American Medical Association (AMA). PCPI™ and PCPI-Approved Quality Measures (site Web). Chicago, IL : AMA; 2012. http://www.ama-assn.org/ama/pub/physician-resources/clinical-practice-improvement/clinical-quality/physician-consortium-performance-improvement/pcpi-measures.page
Anderson et West, 1998	Anderson NR et West MA. Measuring climate for work group innovation: Development and validation of the team climate inventory. <i>J Organ Behav</i> 1998;19(3):235-58.
Antithrombotic Trialists' Collaboration, 2002	Antithrombotic Trialists' Collaboration. Collaborative meta-analysis of randomised trials of antiplatelet therapy for prevention of death, myocardial infarction, and stroke in high risk patients. <i>BMJ</i> 2002;324(7329):71-86.
Aroda et Ratner, 2008	Aroda VR et Ratner R. Approach to the patient with prediabetes. <i>J Clin Endocrinol Metab</i> 2008;93(9):3259-65.

Citations	Références complètes
Association canadienne du diabète (ACD), 2008	Association canadienne du diabète (ACD). Lignes directrices de pratique clinique 2008 de l'Association canadienne du diabète pour la prévention et le traitement du diabète au Canada. <i>Can J Diabetes</i> 2008;32(Suppl 1):S1-S225.
Association pulmonaire du Canada (APC), 2004	Association pulmonaire du Canada (APC). Guide sur l'asthme. Ottawa, ON : APC; 2004. http://www.poumon.ca/pdf/Handbook_FR_oct3.pdf
Australian Institute of Health Welfare (AIHW), 2009	Australian Institute of Health Welfare (AIHW). Towards national indicators of safety and quality in health care. Cat. no. HSE 75. Canberra, Australie : AIHW; 2009. http://www.aihw.gov.au/publications/hse/hse-75-10792/hse-75-10792.pdf
Baigent <i>et al.</i> , 2005	Baigent C, Keech A, Kearney PM, Blackwell L, Buck G, Pollicino C, et al. Efficacy and safety of cholesterol-lowering treatment: Prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins. <i>Lancet</i> 2005;366(9493):1267-78.
Baigent <i>et al.</i> , 2009	Baigent C, Blackwell L, Collins R, Emberson J, Godwin J, Peto R, et al. Aspirin in the primary and secondary prevention of vascular disease: Collaborative meta-analysis of individual participant data from randomised trials. <i>Lancet</i> 2009;373(9678):1849-60.
Baigent <i>et al.</i> , 2010	Baigent C, Blackwell L, Emberson J, Holland LE, Reith C, Bhalra N, et al. Efficacy and safety of more intensive lowering of LDL cholesterol: A meta-analysis of data from 170,000 participants in 26 randomised trials. <i>Lancet</i> 2010;376(9753):1670-81.
Battersby <i>et al.</i> , 2010	Battersby M, Von Korff M, Schaefer J, Davis C, Ludman E, Greene SM, et al. Twelve evidence-based principles for implementing self-management support in primary care. <i>Jt Comm J Qual Patient Saf</i> 2010;36(12):561-70.
Beaulieu <i>et al.</i> , 2010	Beaulieu MD, Del Grande C, Dragieva N, Haggerty J, Tousignant P, Hogg W, et al. Reliability and predictive value of a French version of the Team Climate Inventory. <i>Family Medicine Forum</i> , Vancouver, BC, October 14-16, 2010.
Beaulieu <i>et al.</i> , 2011	Beaulieu M-D, Haggerty JL, Beaulieu C, Bouharaoui F, Lévesque J-F, Pineault R, et al. Interpersonal communication from the patient perspective: Comparison of primary healthcare evaluation instruments <i>Healthc Policy</i> 2011;7(Spec issue):108-23.
Birtwhistle <i>et al.</i> , 2004	Birtwhistle RV, Godwin MS, Delva MD, Casson RI, Lam M, MacDonald SE, et al. Randomised equivalence trial comparing three month and six month follow up of patients with hypertension by family practitioners. <i>BMJ</i> 2004;328(7433):204.
Borowsky <i>et al.</i> , 2002	Borowsky SJ, Nelson DB, Fortney JC, Hedeem AN, Bradley JL, Chapko MK. VA community-based outpatient clinics: Performance measures based on patient perceptions of care. <i>Med Care</i> 2002;40(7):578-86.
British Medical Association (BMA) et NHS Employers, 2009	British Medical Association (BMA) et NHS Employers. Quality and outcomes framework guidance for GMS contract 2009/10. Londres, Angleterre : BMA, NHS Employers; 2009. http://www.bma.org.uk/images/qof0309_tcm41-184025.pdf
Brownson <i>et al.</i> , 2007	Brownson CA, Miller D, Crespo R, Neuner S, Thompson J, Wall JC, et al. A quality improvement tool to assess self-management support in primary care. <i>Jt Comm J Qual Patient Saf</i> 2007;33(7):408-16.

Citations	Références complètes
Burge <i>et al.</i> , 2011	Burge F, Haggerty JL, Pineault R, Beaulieu M-D, Lévesque J-F, Beaulieu C, Santor DA. Relational continuity from the patient perspective: Comparison of primary healthcare evaluation instruments. <i>Healthc Policy</i> 2011;7(Spec Issue):124-38.
Busse <i>et al.</i> , 2008	Busse WW, Pedersen S, Pauwels RA, Tan WC, Chen YZ, Lamm CJ, O'Byrne PM. The Inhaled Steroid Treatment As Regular Therapy in Early Asthma (START) study 5-year follow-up: Effectiveness of early intervention with budesonide in mild persistent asthma. <i>J Allergy Clin Immunol</i> 2008;121(5):1167-74.
Calverley <i>et al.</i> , 2007	Calverley PM, Anderson JA, Celli B, Ferguson GT, Jenkins C, Jones PW, et al. Salmeterol and fluticasone propionate and survival in chronic obstructive pulmonary disease. <i>N Engl J Med</i> 2007;356(8):775-89.
Canadian Hypertension Education Program (CHEP), 2010	Canadian Hypertension Education Program (CHEP). 2010 CHEP recommendations for the management of hypertension. Markham, ON : CHEP; 2010. http://www.idocc.ca/documents/Ref36CHEP2010.pdf
CCORT/Burge <i>et al.</i> , 2007	Burge FI, Bower K, Putnam W, Cox JL. Quality indicators for cardiovascular primary care. <i>Can J Cardiol</i> 2007;23(5):383-8.
Cloutier et Poirier, 2011	Cloutier L et Poirier L. Prise en charge systématisée des personnes atteintes d'hypertension artérielle. Montréal, Qc : Société québécoise d'hypertension artérielle; 2011. http://www.hypertension.qc.ca/gestion/pdf/SQHA_VERSION_FINALE2010.pdf
Coleman <i>et al.</i> , 2005	Coleman EA, Mahoney E, Parry C. Assessing the quality of preparation for posthospital care from the patient's perspective: The care transitions measure. <i>Med Care</i> 2005;43(3):246-55.
ComExp, 2011	ComExp. Consensus des experts consultés dans le cadre des comités scientifiques <i>ad hoc</i> du projet de l'INESSS. Institut national d'excellence en santé et en services sociaux (INESSS); 2011.
Commissaire à la santé et au bien-être (CSBE), 2010a	Commissaire à la santé et au bien-être (CSBE). Adopter une approche intégrée de prévention et de gestion des maladies chroniques : recommandations, enjeux et implications. Rapport d'appréciation de la performance du système de santé et des services sociaux 2010 : améliorer notre système de santé et de services sociaux. Québec, Qc : CSBE; 2010a. http://www.csbe.gouv.qc.ca/fileadmin/www/2010_MaladiesChroniques/CSBE_T4-RecommandationMaladiesChroniques-052010.pdf
Commissaire à la santé et au bien-être (CSBE), 2010b	Commissaire à la santé et au bien-être (CSBE). État de situation portant sur les maladies chroniques et la réponse du système de santé et de services sociaux. Rapport d'appréciation de la performance du système de santé et des services sociaux 2010 : améliorer notre système de santé et de services sociaux. Québec, Qc : CSBE; 2010b. http://www.csbe.gouv.qc.ca/fileadmin/www/2010_MaladiesChroniques/CSBE_T2-EtatSituationMaladiesChroniques-052010.pdf
Commonwealth Fund, 2011	Commonwealth Fund. 2011 Commonwealth Fund international health policy survey (site Web). New York, NY : Commonwealth Fund; 2011. http://www.commonwealthfund.org/Surveys/2011/Nov/2011-International-Survey.aspx

Citations	Références complètes
Conseil du médicament (CdM), 2009	Conseil du médicament (CdM). Bronchite aiguë et exacerbation aiguë de la MPOC. Québec, Qc : CdM; 2009. http://www.inesss.qc.ca/fileadmin/doc/CDM/UsageOptimal/Guides-seriel/CdM-Antibio1-Bronchite-fr.pdf
Crinson <i>et al.</i> , 2010	Crinson I, Gallagher H, Thomas N, de Lusignan S. How ready is general practice to improve quality in chronic kidney disease? A diagnostic analysis. <i>Br J Gen Pract</i> 2010;60(575):403-9.
Critchley et Capewell, 2003	Critchley J et Capewell S. Smoking cessation for the secondary prevention of coronary heart disease. <i>Cochrane Database Syst Rev</i> 2003;(4):CD003041.
Cushman <i>et al.</i> , 2010	Cushman WC, Evans GW, Byington RP, Goff DC Jr, Grimm RH Jr, Cutler JA, et al. Effects of intensive blood-pressure control in type 2 diabetes mellitus. <i>N Engl J Med</i> 2010;362(17):1575-85.
DH CPR/Westert <i>et al.</i> , 2010	Westert GP, van den Berg MJ, Zwakhals SLN, Heijink R, de Jong JD, Verkleij H. Dutch health care performance report 2010. Bilthoven, Pays-Bas : National Institute for Public Health and the Environment; 2010. http://www.gezondheidszorgbalans.nl/object_binary/o10298_dhCPR2010.pdf
Eaton <i>et al.</i> , 2001	Eaton TE, Grey C, Garrett JE. An evaluation of short-term oxygen therapy: The prescription of oxygen to patients with chronic lung disease hypoxic at discharge from hospital. <i>Respir Med</i> 2001;95(7):582-7.
Effing <i>et al.</i> , 2007	Effing T, Monninkhof EM, van der Valk PD, van der Palen J, van Herwaarden CL, Partidge MR, et al. Self-management education for patients with chronic obstructive pulmonary disease. <i>Cochrane Database Syst Rev</i> 2007;(4):CD002990.
Ekoé <i>et al.</i> , 2008	Ekoé J-M, Rewers M, Williams R, Zimmet P. The epidemiology of diabetes mellitus. 2 ^e éd. Hoboken, NJ : Wiley-Blackwell; 2008.
Ernst <i>et al.</i> , 2007	Ernst P, Gonzalez AV, Brassard P, Suissa S. Inhaled corticosteroid use in chronic obstructive pulmonary disease and the risk of hospitalization for pneumonia. <i>Am J Respir Crit Care Med</i> 2007;176(2):162-6.
EUCID/Health and Consumer Protection Directorate General (HCP), 2008	Health and Consumer Protection Directorate General (HCP). Final report in European Core Indicators in Diabetes project. Bruxelles, Belgique : European Commission; 2008. http://ec.europa.eu/health/ph_projects/2005/action1/docs/action1_2005_frep_11_en.pdf
European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD), 2007	European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). Guidelines on Diabetes, Pre-diabetes and cardiovascular diseases: full-text. <i>European Heart Journal</i> 2007;1-72
Feng <i>et al.</i> , 2009	Feng Y, Schlosser FJ, Sumpio BE. The Semmes Weinstein monofilament examination as a screening tool for diabetic peripheral neuropathy. <i>J Vasc Surg</i> 2009;50(3):675-82, 682 e1.
Fiore <i>et al.</i> , 2000	Fiore MC, Bailey WC, Cohen SJ, Dorfman SF, Goldstein MG, Gritz ER, et al. Treating tobacco use and dependence. Rockville, MD : U.S. Department of Health and Human Services, Public Health Service; 2000. http://www.treatobacco.net/en/uploads/documents/Treatment%20Guidelines/USA%20treatment%20guidelines%20in%20English%202000.pdf

Citations	Références complètes
Fiore <i>et al.</i> , 2008	Fiore MC, Jaén CR, Baker TB, Bailey WC, Benowitz NL, Curry SJ, et al. Treating tobacco use and dependence: 2008 update. Rockville, MD : U.S. Department of Health and Human Services, Public Health Service; 2008. http://www.ahrq.gov/clinic/tobacco/treating_tobacco_use08.pdf
FitzGerald <i>et al.</i> , 2006	FitzGerald JM, Boulet LP, Mclvor RA, Zimmerman S, Chapman KR. Asthma control in Canada remains suboptimal: The Reality of Asthma Control (TRAC) study. <i>Can Respir J</i> 2006;13(5):253-9.
Flather <i>et al.</i> , 2000	Flather MD, Yusuf S, Kober L, Pfeffer M, Hall A, Murray G, et al. Long-term ACE-inhibitor therapy in patients with heart failure or left-ventricular dysfunction: A systematic overview of data from individual patients. ACE-Inhibitor Myocardial Infarction Collaborative Group. <i>Lancet</i> 2000;355(9215):1575-81.
Flocke, 1997	Flocke SA. Measuring attributes of primary care: Development of a new instrument. <i>J Fam Pract</i> 1997;45(1):64-74.
Fox, 2003	Fox KM. Efficacy of perindopril in reduction of cardiovascular events among patients with stable coronary artery disease: Randomised, double-blind, placebo-controlled, multicentre trial (the EUROPA study). <i>Lancet</i> 2003;362(9386):782-8.
Fox <i>et al.</i> , 2006	Fox K, Garcia MA, Ardissino D, Buszman P, Camici PG, Crea F, et al. Guidelines on the management of stable angina pectoris: Executive summary. The Task Force on the Management of Stable Angina Pectoris of the European Society of Cardiology. <i>Eur Heart J</i> 2006;27(11):1341-81.
Frasure-Smith et Lespérance, 2008	Frasure-Smith N et Lespérance F. Depression and anxiety as predictors of 2-year cardiac events in patients with stable coronary artery disease. <i>Arch Gen Psychiatry</i> 2008;65(1):62-71.
Genest <i>et al.</i> , 2009	Genest J, McPherson R, Frohlich J, Anderson T, Campbell N, Carpentier A, et al. 2009 Canadian Cardiovascular Society/Canadian guidelines for the diagnosis and treatment of dyslipidemia and prevention of cardiovascular disease in the adult – 2009 recommendations. <i>Can J Cardiol</i> 2009;25(10):567-79.
Gerstein, 2001	Gerstein HC. Diabetes and the HOPE study: Implications for macrovascular and microvascular disease. <i>Int J Clin Pract Suppl</i> 2001;(117):8-12.
Gerstein, 2002	Gerstein HC. Reduction of cardiovascular events and microvascular complications in diabetes with ACE inhibitor treatment: HOPE and MICRO-HOPE. <i>Diabetes Metab Res Rev</i> 2002;18(Suppl 3):S82-5.
Gerstein <i>et al.</i> , 2011	Gerstein HC, Miller ME, Genuth S, Ismail-Beigi F, Buse JB, Goff DC Jr, et al. Long-term effects of intensive glucose lowering on cardiovascular outcomes. <i>N Engl J Med</i> 2011;364(9):818-28.
Gibson <i>et al.</i> , 2003	Gibson PG, Powell H, Coughlan J, Wilson AJ, Abramson M, Haywood P, et al. Self-management education and regular practitioner review for adults with asthma. <i>Cochrane Database Syst Rev</i> 2003;(1):CD001117.
Glasgow <i>et al.</i> , 2005a	Glasgow RE, Wagner EH, Schaefer J, Mahoney LD, Reid RJ, Greene SM. Development and validation of the Patient Assessment of Chronic Illness Care (PACIC). <i>Med Care</i> 2005a;43(5):436-44.

Citations	Références complètes
Glasgow <i>et al.</i> , 2005b	Glasgow RE, Whitesides H, Nelson CC, King DK. Use of the Patient Assessment of Chronic Illness Care (PACIC) with diabetic patients: Relationship to patient characteristics, receipt of care, and self-management. <i>Diabetes Care</i> 2005b;28(11):2655-61.
Global Initiative for Asthma (GINA), 2010	Global Initiative for Asthma (GINA). Global strategy for asthma management and prevention. Updated 2010. GINA; 2010. http://www.ginasthma.org/pdf/GINA_Report_2010.pdf
Global Initiative for Asthma (GINA), 2011	Global Initiative for Asthma (GINA). Global strategy for asthma management and prevention. Updated 2011. GINA; 2011. http://www.ginasthma.org/uploads/users/files/GINA_Report2011_May4.pdf
Global Initiative for Chronic Obstructive Lung Disease (GOLD), 2010	Global Initiative for Chronic Obstructive Lung Disease (GOLD). Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. Updated 2010. GOLD; 2010. http://www.goldcopd.org/uploads/users/files/GOLDReport_April112011.pdf
Gregg <i>et al.</i> , 2003	Gregg EW, Gerzoff RB, Caspersen CJ, Williamson DF, Narayan KM. Relationship of walking to mortality among US adults with diabetes. <i>Arch Intern Med</i> 2003;163(12):1440-7.
Haggerty, 2011	Haggerty J. Communication orale à l'INESSS lors du Comité expert sur les technologies de l'information, 22 septembre 2011.
Haggerty <i>et al.</i> , 2011d	Haggerty JL, Burge F, Beaulieu M-D, Pineault R, Beaulieu C, Lévesque J-F, et al. Validation of instruments to evaluate primary healthcare from the patient perspective: Overview of the method. <i>Healthc Policy</i> 2011d;7(Spec Issue):31-46.
Haggerty <i>et al.</i> , 2011e	Haggerty JL, Burge F, Pineault R, Beaulieu M-D, Bouharaoui F, Beaulieu C, et al. Management continuity from the patient perspective: Comparison of primary healthcare evaluation instruments. <i>Healthc Policy</i> 2011e;7(Spec Issue):139-53.
Haggerty <i>et al.</i> , 2011f	Haggerty JL, Lévesque J-F, Santor DA, Burge F, Beaulieu C, Bouharaoui F, et al. Accessibility from the patient perspective: Comparison of primary healthcare evaluation instruments. <i>Healthc Policy</i> 2011f;7(Spec Issue):94-107.
Hansson <i>et al.</i> , 1998	Hansson L, Zanchetti A, Carruthers SG, Dahlof B, Elmfeldt D, Julius S, et al. Effects of intensive blood-pressure lowering and low-dose aspirin in patients with hypertension: Principal results of the Hypertension Optimal Treatment (HOT) randomised trial. <i>Lancet</i> 1998;351(9118):1755-62.
HDC, 2012	Health Disparities Collaboratives (site Web). 2012. http://www.healthcarecommunities.org/
Heran <i>et al.</i> , 2011	Heran BS, Chen JM, Ebrahim S, Moxham T, Oldridge N, Rees K, et al. Exercise-based cardiac rehabilitation for coronary heart disease. <i>Cochrane Database Syst Rev</i> 2011;(7):CD001800.
Hill <i>et al.</i> , 2010	Hill K, Goldstein RS, Guyatt GH, Blouin M, Tan WC, Davis LL, et al. Prevalence and underdiagnosis of chronic obstructive pulmonary disease among patients at risk in primary care. <i>CMAJ</i> 2010;182(7):673-8.
Horvath <i>et al.</i> , 2008	Horvath K, Jeitler K, Siering U, Stich AK, Skipka G, Gratzner TW, Siebenhofer A. Long-term effects of weight-reducing interventions in hypertensive patients: Systematic review and meta-analysis. <i>Arch Intern Med</i> 2008;168(6):571-80.

Citations	Références complètes
HRSA, 2012	Health Resources and Services Administration (site Web). 2012. http://www.hrsa.gov/index.html
Institut canadien d'information sur la santé (ICIS), 2006a	Institut canadien d'information sur la santé (ICIS). Indicateurs pancanadiens de soins de santé primaires : rapport 1, volume 1. Projet d'élaboration d'indicateurs pancanadiens de soins de santé primaires. Ottawa, ON : ICIS; 2006a. https://secure.cihi.ca/free_products/PHC_Indicator_Report_1_Volume_1_Final_F.pdf
Institut canadien d'information sur la santé (ICIS), 2006b	Institut canadien d'information sur la santé (ICIS). Indicateurs pancanadiens de soins de santé primaires : rapport 1, volume 2. Projet d'élaboration d'indicateurs pancanadiens de soins de santé primaires. Ottawa, ON : ICIS; 2006b. https://secure.cihi.ca/free_products/PHC_Indicator_Report_1-Volume_2_Final_F.pdf
Institut national d'excellence en santé et services sociaux (INESSS), 2011	Institut national d'excellence en santé et services sociaux (INESSS). Plan d'action pour l'asthme. INESSS; 2011. http://www.inesss.qc.ca/fileadmin/doc/INESSS/Outils/Asthme_2011/PlanClinique-FR-final_2011-WEB.pdf
Institute for Clinical Systems Improvement (ICSI), 2009a	Institute for Clinical Systems Improvement (ICSI). Lipid management in adults. Health Care Guideline. 11 ^e éd. Bloomington, MN : ICSI; 2009a.
Institute for Clinical Systems Improvement (ICSI), 2009b	Institute for Clinical Systems Improvement (ICSI). Stable coronary artery disease. Health Care Guideline. 13 ^e éd. Bloomington, MN : ICSI; 2009b.
Institute for Clinical Systems Improvement (ICSI), 2009c	Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of chronic obstructive pulmonary disease (COPD). Health Care Guideline. 7 ^e éd. Bloomington, MN : ICSI; 2009c.
Institute for Clinical Systems Improvement (ICSI), 2010a	Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of asthma. Health Care Guideline. 9 ^e éd. Bloomington, MN : ICSI; 2010a. http://www.icsi.org/asthma__outpatient/asthma__diagnosis_management_of__guideline_.html
Institute for Clinical Systems Improvement (ICSI), 2010b	Institute for Clinical Systems Improvement (ICSI). Hypertension diagnosis and treatment. Health Care Guideline. 13 ^e éd. Bloomington, MN : ICSI; 2010b. http://www.icsi.org/hypertension_4/hypertension_diagnosis_and_treatment_4.html
Institute for Clinical Systems Improvement (ICSI), 2011a	Institute for Clinical Systems Improvement (ICSI). Lipid management in adults. Health Care Guideline. 12 ^e éd. Bloomington, MN : ICSI; 2011a. http://www.icsi.org/lipid_management_3/lipid_management_in_adults_4.html
Institute for Clinical Systems Improvement (ICSI), 2011b	Institute for Clinical Systems Improvement (ICSI). Stable coronary artery disease. Health Care Guideline. 14 ^e éd. Bloomington, MN : ICSI; 2011b. http://www.icsi.org/coronary_artery_disease/coronary_artery_disease__stable_.html

Citations	Références complètes
Institute for Healthcare Improvement (IHI), 2005	Institute for Healthcare Improvement (IHI). Third next available appointment (site Web). Cambridge, MA : IHI; 2005. http://www.ihl.org/knowledge/Pages/Measures/ThirdNextAvailableAppointment.aspx
Institute of Medicine (IOM), 2001	Institute of Medicine (IOM). Crossing the quality chasm: A new health system for the 21 st century. Washington, DC : National Academy Press; 2001.
Jang <i>et al.</i> , 2010	Jang AS, Park SW, Kim DJ, Uh S, Kim YH, Whang HG, et al. Effects of smoking cessation on airflow obstruction and quality of life in asthmatic smokers. <i>Allergy Asthma Immunol Res</i> 2010;2(4):254-9.
Kringos <i>et al.</i> , 2010	Kringos DS, Boerma WG, Hutchinson A, van der Zee J, Groenewegen PP. The breadth of primary care: A systematic literature review of its core dimensions. <i>BMC Health Serv Res</i> 2010;10 :65.
Lacasse <i>et al.</i> , 2009	Lacasse Y, Gauthier R, Paradis B, Chassé M, Cournoyer G, Deschênes J, Allard C. Oxygénothérapie à domicile au Québec : lignes directrices 2009. Montréal, Qc : Association des pneumologues de la province de Québec (APPQ); 2009.
Lange <i>et al.</i> , 1998	Lange P, Parner J, Vestbo J, Schnohr P, Jensen G. A 15-year follow-up study of ventilatory function in adults with asthma. <i>N Engl J Med</i> 1998;339(17) :1194-200.
Lewis <i>et al.</i> , 1993	Lewis EJ, Hunsicker LG, Bain RP, Rohde RD. The effect of angiotensin-converting-enzyme inhibition on diabetic nephropathy. The Collaborative Study Group. <i>N Engl J Med</i> 1993;329(20):1456-62.
Lewis et Lewis, 2003	Lewis EJ et Lewis JB. Treatment of diabetic nephropathy with angiotensin II receptor antagonist. <i>Clin Exp Nephrol</i> 2003;7(1):1-8.
Lichtman <i>et al.</i> , 2008	Lichtman JH, Bigger JT Jr, Blumenthal JA, Frasure-Smith N, Kaufmann PG, Lesperance F, et al. Depression and coronary heart disease: Recommendations for screening, referral, and treatment: A science advisory from the American Heart Association Prevention Committee of the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research: Endorsed by the American Psychiatric Association. <i>Circulation</i> 2008;118(17):1768-75.
Lindholm <i>et al.</i> , 2005	Lindholm LH, Carlberg B, Samuelsson O. Should beta blockers remain first choice in the treatment of primary hypertension? A meta-analysis. <i>Lancet</i> 2005;366(9496) :1545-53.
Lombardo et Balmes, 2000	Lombardo LJ et Balmes JR. Occupational asthma: A review. <i>Environ Health Perspect</i> 2000;108(Suppl 4):697-704.
Lougheed <i>et al.</i> , 2010	Lougheed MD, Lemiere C, Dell SD, Ducharme FM, Fitzgerald JM, Leigh R, et al. Canadian Thoracic Society Asthma Management Continuum – 2010 Consensus Summary for children six years of age and over, and adults. <i>Can Respir J</i> 2010;17(1):15-24.
Majumdar <i>et al.</i> , 2005	Majumdar SR, Johnson JA, Bowker SL, Booth GL, Dolovich L, Ghali W, et al. A Canadian consensus for the standardized evaluation of quality improvement interventions in type 2 diabetes. <i>Can J Diabetes</i> 2005;29(3) :220-9.

Citations	Références complètes
Marciniuk <i>et al.</i> , 2010	Marciniuk DD, Brooks D, Butcher S, Debigare R, Dechman G, Ford G, et al. Optimizing pulmonary rehabilitation in chronic obstructive pulmonary disease – practical issues: A Canadian Thoracic Society Clinical Practice Guideline. <i>Can Respir J</i> 2010;17(4):159-68.
Martirosyan <i>et al.</i> , 2008	Martirosyan L, Braspenning J, Denig P, de Grauw WJ, Bouma M, Storms F, Haaiker-Ruskamp FM. Prescribing quality indicators of type 2 diabetes mellitus ambulatory care. <i>Qual Saf Health Care</i> 2008;17(5):318-23.
McAlister <i>et al.</i> , 2001	McAlister FA, Lawson FM, Teo KK, Armstrong PW. Randomised trials of secondary prevention programmes in coronary heart disease: Systematic review. <i>BMJ</i> 2001;323(7319):957-62.
McDonald <i>et al.</i> , 2007	McDonald KM, Sundaram V, Bravata DM, Lewis R, Lin M, Kraft S, et al. Closing the quality gap: A critical analysis of quality improvement strategies. Volume 7—Care coordination. Rockville, MD : Agency for Healthcare Research and Quality (AHRQ); 2007. http://www.ahrq.gov/downloads/pub/evidence/pdf/caregap/caregap.pdf
Mead et Bower, 2002	Mead N et Bower P. Patient-centred consultations and outcomes in primary care: A review of the literature. <i>Patient Educ Couns</i> 2002;48(1):51-61.
Miller <i>et al.</i> , 2002	Miller ER 3rd, Erlinger TP, Young DR, Jehn M, Charleston J, Rhodes D, et al. Results of the Diet, Exercise, and Weight Loss Intervention Trial (DEW-IT). <i>Hypertension</i> 2002;40(5):612-8.
Murray et Berwick, 2003	Murray M et Berwick DM. Advanced access: Reducing waiting and delays in primary care. <i>JAMA</i> 2003;289(8):1035-40.
National Heart Lung and Blood Institute (NHLBI), 2007	National Heart Lung and Blood Institute (NHLBI). Expert Panel Report 3: Guidelines for the diagnosis and management of asthma. Bethesda, MD : NHLBI; 2007. http://www.nhlbi.nih.gov/guidelines/asthma/asthgdln.pdf
National Institute for Health and Clinical Excellence (NICE), 2006	National Institute for Health and Clinical Excellence (NICE). Hypertension: Management of hypertension in adults in primary care. Londres, Angleterre : NICE; 2006. http://www.nice.org.uk/nicemedia/pdf/CG034NICEguideline.pdf
National Institute for Health and Clinical Excellence (NICE), 2008	National Institute for Health and Clinical Excellence (NICE). CG66 Type 2 diabetes: Full guideline appendices. Londres, Angleterre : NICE; 2008. http://www.nice.org.uk/nicemedia/live/11983/40804/40804.pdf
National Institute for Health and Clinical Excellence (NICE), 2009	National Institute for Health Clinical Excellence (NICE). Developing the clinical and health improvement indicators for the Quality and Outcomes Framework (QOF): Interim process guide. Londres, Angleterre : NICE; 2009. http://www.nice.org.uk/media/742/32/QOFProcessGuide.pdf

Citations	Références complètes
National Institute for Health and Clinical Excellence (NICE), 2010a	National Institute for Health and Clinical Excellence (NICE). Chronic obstructive pulmonary disease: Management of chronic obstructive pulmonary disease in adult in primary and secondary care (partial update). Londres, Angleterre : NICE; 2010a. http://www.nice.org.uk/nicemedia/live/13029/49397/49397.pdf
National Institute for Health and Clinical Excellence (NICE), 2010b	National Institute for Health and Clinical Excellence (NICE). Type 1 diabetes: Diagnosis and management of type 1 diabetes in children, young people and adults. Londres, Angleterre : NICE; 2010b. http://www.nice.org.uk/nicemedia/live/10944/29390/29390.pdf
National Institute for Health and Clinical Excellence (NICE), 2010c	National Institute for Health and Clinical Excellence (NICE). Lipid modification: Cardiovascular risk assessment and the modification of blood lipids for the primary and secondary prevention of cardiovascular disease. Londres, Angleterre : NICE; 2010c. http://www.nice.org.uk/nicemedia/live/11982/40689/40689.pdf
National Institute for Health and Clinical Excellence (NICE), 2011	National Institute for Health and Clinical Excellence (NICE). NICE menu of indicators (site Web). Londres, Angleterre : NICE; 2011. http://www.nice.org.uk/aboutnice/qof/indicators.jsp
National Quality Forum (NQF), 2008a	National Quality Forum (NQF). National voluntary consensus standards for ambulatory care: A consensus report. Part 1. Washington, DC : NQF; 2008a. http://www.qualityforum.org/Publications/2008/03/National_Voluntary_Consensus_Standards_for_Ambulatory_Care%E2%80%9393Part_1.aspx
National Quality Forum (NQF), 2008b	National Quality Forum (NQF). National voluntary consensus standards for ambulatory care: A consensus report. Part 2. Washington, DC : NQF; 2008b. http://www.qualityforum.org/Publications/2008/03/National_Voluntary_Consensus_Standards_for_Ambulatory_Care%E2%80%9393Part_2.aspx
National Quality Forum (NQF), 2010	National Quality Forum (NQF). NQF Quality Connections: Care coordination. Washington, DC : NQC; 2010. http://www.qualityforum.org/Publications/2010/10/Quality_Connections__Care_Coordination.aspx
NCQA, 2012	National Committee for Quality Assurance (site Web). 2012. http://www.ncqa.org/
Nichol <i>et al.</i> , 2003	Nichol KL, Nordin J, Mullooly J, Lask R, Fillbrandt K, Iwane M. Influenza vaccination and reduction in hospitalizations for cardiac disease and stroke among the elderly. <i>N Engl J Med</i> 2003;348(14) :1322-32.
Norris <i>et al.</i> , 2001	Norris SL, Engelgau MM, Narayan KM. Effectiveness of self-management training in type 2 diabetes: A systematic review of randomized controlled trials. <i>Diabetes Care</i> 2001;24(3) :561-87.

Citations	Références complètes
OCDE/Mattke <i>et al.</i> , 2006	Mattke S, Kelley E, Scherer P, Hurst J, Gil Lapetra ML, HCQI Expert Group Members. Health care quality indicators project: Initial indicators report. OECD Health Working Papers no. 22. Paris, France : Organisation for Economic Co-operation and Development, Directorate for Employment, Labour and Social Affairs; 2006. http://www.oecd.org/dataoecd/1/34/36262514.pdf
O'Donnell <i>et al.</i> , 2007	O'Donnell DE, Aaron S, Bourbeau J, Hernandez P, Marciniuk DD, Balter M, et al. Canadian Thoracic Society recommendations for management of chronic obstructive pulmonary disease – 2007 update. <i>Can Respir J</i> 2007;14(Suppl B) :5B-32B.
O'Donnell <i>et al.</i> , 2008	O'Donnell DE, Hernandez P, Kaplan A, Aaron S, Bourbeau J, Marciniuk D, et al. Canadian Thoracic Society recommendations for management of chronic obstructive pulmonary disease – 2008 update – highlights for primary care. <i>Can Respir J</i> 2008;15(Suppl A):1A-8A.
Partridge et Hill, 2000	Partridge MR et Hill SR. Enhancing care for people with asthma: The role of communication, education, training and self-management. 1998 World Asthma Meeting Education and Delivery of Care Working Group. <i>Eur Respir J</i> 2000;16(2):333-48.
Pauwels <i>et al.</i> , 2003	Pauwels RA, Pedersen S, Busse WW, Tan WC, Chen YZ, Ohlsson SV, et al. Early intervention with budesonide in mild persistent asthma: A randomised, double-blind trial. <i>Lancet</i> 2003;361(9363):1071-6.
PCPI/American Medical Association (AMA), 2009	American Medical Association (AMA). Physician Consortium for Performance Improvement® (PCPI) performance measure status report. Chicago, IL : AMA; 2009. http://www.ama-assn.org/resources/doc/cqi/measures.pdf
Pearson <i>et al.</i> , 2007	Pearson ML, Mattke S, Shaw R, Ridgely MS, Wiseman SH. Patient self-management support programs: An evaluation. Rockville, MD : Agency for Healthcare Research and Quality (AHRQ); 2007. http://www.ahrq.gov/qual/ptmgmt/ptmgmt.pdf
Pescatello, 2005	Pescatello LS. Exercise and hypertension: Recent advances in exercise prescription. <i>Curr Hypertens Rep</i> 2005;7(4):281-6.
Phisitkul <i>et al.</i> , 2008	Phisitkul K, Hegazy K, Chuahirun T, Hudson C, Simoni J, Rajab H, Wesson DE. Continued smoking exacerbates but cessation ameliorates progression of early type 2 diabetic nephropathy. <i>Am J Med Sci</i> 2008;335(4):284-91.
Pimouguet <i>et al.</i> , 2011	Pimouguet C, Le Goff M, Thiebaut R, Dartigues JF, Helmer C. Effectiveness of disease-management programs for improving diabetes care: A meta-analysis. <i>CMAJ</i> 2011;183(2):E115-27.
Pi-Sunyer <i>et al.</i> , 2007	Pi-Sunyer X, Blackburn G, Brancati FL, Bray GA, Bright R, Clark JM, et al. Reduction in weight and cardiovascular disease risk factors in individuals with type 2 diabetes: One-year results of the look AHEAD trial. <i>Diabetes Care</i> 2007;30(6):1374-83.
Preiss <i>et al.</i> , 2011	Preiss D, Seshasai SR, Welsh P, Murphy SA, Ho JE, Waters DD, et al. Risk of incident diabetes with intensive-dose compared with moderate-dose statin therapy: A meta-analysis. <i>JAMA</i> 2011;305(24):2556-64.

Citations	Références complètes
Qaseem <i>et al.</i> , 2012	Qaseem A, Humphrey LL, Sweet DE, Starkey M, Shekelle P. Oral pharmacologic treatment of type 2 diabetes mellitus: A clinical practice guideline from the American College of Physicians. <i>Ann Intern Med</i> 2012;156(3):218-31.
Rabi <i>et al.</i> , 2011	Rabi DM, Daskalopoulou SS, Padwal RS, Khan NA, Grover SA, Hackam DG, et al. The 2011 Canadian Hypertension Education Program recommendations for the management of hypertension: Blood pressure measurement, diagnosis, assessment of risk, and therapy. <i>Can J Cardiol</i> 2011;27(4):415-33. e1-2.
RAND/Kerr <i>et al.</i> , 2000	Kerr EA, Asch SM, Hamilton EG, McGlynn EA. Quality of care for cardiopulmonary conditions: A review of the literature and quality indicators. Santa Monica, CA : RAND Corporation; 2000. http://www.rand.org/pubs/monograph_reports/MR1282.html
Rydén <i>et al.</i> , 2007	Rydén L, Standl E, Bartnik M, Van den Berghe G, Betteridge J, de Boer MJ, et al. Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: Full text. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). <i>Eur Heart J Suppl</i> 2007;9(Suppl C):C3-C74.
Sacks <i>et al.</i> , 2001	Sacks FM, Svetkey LP, Vollmer WM, Appel LJ, Bray GA, Harsha D, et al. Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. DASH-Sodium Collaborative Research Group. <i>N Engl J Med</i> 2001;344(1):3-10.
Sadatsafavi <i>et al.</i> , 2010	Sadatsafavi M, Lynd L, Marra C, Carleton B, Tan W, Sullivan S, Fitzgerald M. Direct health care costs associated with asthma in British Columbia. <i>Can Respir J</i> 2010;17(2):74-80.
Safran <i>et al.</i> , 1998	Safran DG, Kosinski M, Tarlov AR, Rogers WH, Taira DH, Lieberman N, Ware JE. The Primary Care Assessment Survey: Tests of data quality and measurement performance. <i>Med Care</i> 1998;36(5):728-39.
Saint <i>et al.</i> , 1995	Saint S, Bent S, Vittinghoff E, Grady D. Antibiotics in chronic obstructive pulmonary disease exacerbations. A meta-analysis. <i>JAMA</i> 1995;273(12):957-60.
Schmittdiel <i>et al.</i> , 2008	Schmittdiel J, Mosen DM, Glasgow RE, Hibbard J, Remmers C, Bellows J. Patient Assessment of Chronic Illness Care (PACIC) and improved patient-centered outcomes for chronic conditions. <i>J Gen Intern Med</i> 2008;23(1):77-80.
Scottish Intercollegiate Guidelines Network (SIGN) et British Thoracic Society (BTA), 2008	Scottish Intercollegiate Guidelines Network (SIGN) et British Thoracic Society (BTA). British guideline on the management of asthma: A national clinical guideline. Édimbourg, Écosse : SIGN; 2008. http://www.sign.ac.uk/pdf/sign101.pdf
Scottish Intercollegiate Guidelines Network (SIGN), 2007	Scottish Intercollegiate Guidelines Network (SIGN). Management of stable angina. Édimbourg, Écosse : SIGN; 2007. http://www.sign.ac.uk/pdf/sign96.pdf
Scottish Intercollegiate Guidelines Network (SIGN), 2010	Scottish Intercollegiate Guidelines Network (SIGN). Management of diabetes. Édimbourg, Écosse : SIGN; 2010. http://www.sign.ac.uk/pdf/sign116.pdf

Citations	Références complètes
SCPE, 2012	SCPE. Société canadienne de physiologie de l'exercice. 2012. http://www.csep.ca/Francais/view.asp?x=1
Sears <i>et al.</i> , 1990	Sears MR, Taylor DR, Print CG, Lake DC, Li QQ, Flannery EM, et al. Regular inhaled beta-agonist treatment in bronchial asthma. <i>Lancet</i> 1990;336(8728):1391-6.
Shi <i>et al.</i> , 2001	Shi L, Starfield B, Xu J. Validating the adult primary care assessment tool. <i>J Fam Pract</i> 2001;50(2):161-75.
Shrewsbury <i>et al.</i> , 2000	Shrewsbury S, Pyke S, Britton M. Meta-analysis of increased dose of inhaled steroid or addition of salmeterol in symptomatic asthma (MIASMA). <i>BMJ</i> 2000;320(7246):1368-73.
Siroux <i>et al.</i> , 2000	Siroux V, Pin I, Oryszczyn MP, Le Moual N, Kauffmann F. Relationships of active smoking to asthma and asthma severity in the EGEA study. <i>Epidemiological study on the Genetics and Environment of Asthma. Eur Respir J</i> 2000;15(3):470-7.
Snowling et Hopkins, 2006	Snowling NJ et Hopkins WG. Effects of different modes of exercise training on glucose control and risk factors for complications in type 2 diabetic patients: A meta-analysis. <i>Diabetes Care</i> 2006;29(11) :2518-27.
Spicer <i>et al.</i> , 2012	Spicer J, Budge C, Carryer J. Taking the PACIC back to basics: The structure of the Patient Assessment of Chronic Illness Care. <i>J Eval Clin Pract</i> 2012;18(2) :307-12.
Statistique Canada, 2008	Statistique Canada. Enquête sur l'expérience des Canadiens avec les soins de santé primaires, 2008 – Questionnaire. Ottawa, ON : Statistique Canada; 2008.
Statistique Canada, 2010	Statistique Canada. Enquête sur l'expérience des Canadiens avec les soins de santé primaires, 2007-2008 – Questionnaire. Ottawa, ON : Statistique Canada; 2010. http://prod.library.utoronto.ca/datalib/codebooks/cstdli/csephc/2008/ecessp2007-2008que.pdf
Stead <i>et al.</i> , 2008	Stead LF, Bergson G, Lancaster T. Physician advice for smoking cessation. <i>Cochrane Database Syst Rev</i> 2008;(2) :CD000165.
Steed <i>et al.</i> , 2003	Steed L, Cooke D, Newman S. A systematic review of psychosocial outcomes following education, self-management and psychological interventions in diabetes mellitus. <i>Patient Educ Couns</i> 2003;51(1) :5-15.
Stenius-Aarniala <i>et al.</i> , 2000	Stenius-Aarniala B, Poussa T, Kvarnstrom J, Gronlund EL, Ylikahri M, Mustajoki P. Immediate and long term effects of weight reduction in obese people with asthma: Randomised controlled study. <i>BMJ</i> 2000;320(7238) :827-32.
Stewart, 1995	Stewart MA, Effective physician-patient communication and health outcomes: A review. <i>CMAJ</i> 1995;152(9):1423-33
Stewart <i>et al.</i> , 2007	Stewart AL, Napoles-Springer AM, Gregorich SE, Santoyo-Olsson J. Interpersonal processes of care survey: Patient-reported measures for diverse groups. <i>Health Serv Res</i> 2007;42(3 Pt 1) :1235-56.
Stratton <i>et al.</i> , 2000	Stratton IM, Adler AI, Neil HA, Matthews DR, Manley SE, Cull CA, et al. Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): Prospective observational study. <i>BMJ</i> 2000;321(7258):405-12.

Citations	Références complètes
Tamblyn <i>et al.</i> , 2001	Tamblyn R, Laprise R, Hanley JA, Abrahamowicz M, Scott S, Mayo N, et al. Adverse events associated with prescription drug cost-sharing among poor and elderly persons. <i>JAMA</i> 2001;285(4):421-9.
Tan <i>et al.</i> , 2009	Tan WC, Lo C, Jong A, Xing L, Fitzgerald MJ, Vollmer WM, et al. Marijuana and chronic obstructive lung disease: A population-based study. <i>CMAJ</i> 2009;180(8):814-20.
Taylor <i>et al.</i> , 2005	Taylor CB, Youngblood ME, Catellier D, Veith RC, Carney RM, Burg MM, et al. Effects of antidepressant medication on morbidity and mortality in depressed patients after myocardial infarction. <i>Arch Gen Psychiatry</i> 2005;62(7):792-8.
Tobe <i>et al.</i> , 2011	Tobe SW, Stone JA, Brouwers M, Bhattacharyya O, Walker KM, Dawes M, et al. Harmonization of guidelines for the prevention and treatment of cardiovascular disease: The C-CHANGE Initiative. <i>CMAJ</i> 2011;183(15):E1135-50.
TOPAS-1/European Practice Assessment (EPA), 2008	European Practice Assessment (EPA). Easy to use and scientifically developed quality management for general practice. EPA; 2008. http://www.topaseurope.eu/files/EPA-Information-Paper-English-vs11_0.pdf
TOPAS-2/Grol et Wensing, 2000	Grol R et Wensing M. Patients evaluate general/family practice: The EUROPEP instrument. Nimègue, Pays-Bas : World Organisation of Family Doctors (WONCA)/European Association for Quality in Family Practice; 2000.
Trogon <i>et al.</i> , 2010	Trogon JG, Nurmagambetov TA, Thompson HF. The economic implications of influenza vaccination for adults with asthma. <i>Am J Prev Med</i> 2010;39(5):403-10.
Tsai <i>et al.</i> , 2005	Tsai AC, Morton SC, Mangione CM, Keeler EB. A meta-analysis of interventions to improve care for chronic illnesses. <i>Am J Manag Care</i> 2005;11(8):478-88.
Tuomilehto <i>et al.</i> , 2001	Tuomilehto J, Lindstrom J, Eriksson JG, Valle TT, Hamalainen H, Ilanne-Parikka P, et al. Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. <i>N Engl J Med</i> 2001;344(18):1343-50.
UK Prospective Diabetes Study Group (UKPDS), 1998a	UK Prospective Diabetes Study Group (UKPDS). Effect of intensive blood-glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). <i>Lancet</i> 1998;352(9131):854-65.
UK Prospective Diabetes Study Group (UKPDS), 1998b	UK Prospective Diabetes Study Group (UKPDS). Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes: UKPDS 38. <i>BMJ</i> 1998;317(7160):703-13.
VHA, 2012	Veterans Health Administration (site Web). 2012. http://www.va.gov/
Voulgari <i>et al.</i> , 2011	Voulgari C, Katsilambros N, Tentolouris N. Smoking cessation predicts amelioration of microalbuminuria in newly diagnosed type 2 diabetes mellitus: A 1-year prospective study. <i>Metabolism</i> 2011;60(10):1456-64.
Walters <i>et al.</i> , 2010	Walters JA, Turnock AC, Walters EH, Wood-Baker R. Action plans with limited patient education only for exacerbations of chronic obstructive pulmonary disease. <i>Cochrane Database Syst Rev</i> 2010;(5):CD005074.

Citations	Références complètes
Wens <i>et al.</i> , 2007	Wens J, Dirven K, Mathieu C, Paulus D, Van Royen P. Quality indicators for type-2 diabetes care in practice guidelines: An example from six European countries. <i>Prim Care Diabetes</i> 2007;1(1):17-23.
Willett <i>et al.</i> , 1999	Willett WC, Dietz WH, Colditz GA. Guidelines for healthy weight. <i>N Engl J Med</i> 1999;341(6):427-34.
Williamson <i>et al.</i> , 2000	Williamson DF, Thompson TJ, Thun M, Flanders D, Pamuk E, Byers T. Intentional weight loss and mortality among overweight individuals with diabetes. <i>Diabetes Care</i> 2000;23(10):1499-504.
Wooltorton, 2003	Wooltorton E. Salmeterol (Serevent) asthma trial halted early. <i>CMAJ</i> 2003;168(6):738.
Yusuf <i>et al.</i> , 2000	Yusuf S, Sleight P, Pogue J, Bosch J, Davies R, Dagenais G. Effects of an angiotensin-converting-enzyme inhibitor, ramipril, on cardiovascular events in high-risk patients. The Heart Outcomes Prevention Evaluation Study Investigators. <i>N Engl J Med</i> 2000;342(3):145-53.
Yusuf <i>et al.</i> , 2004	Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, et al. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): Case-control study. <i>Lancet</i> 2004;364(9438):937-52.